

CONTENTS AND INDEX TO DRUG AND THERAPEUTICS BULLETIN

Vol. 6 Nos. 1 - 20 January 5 - September 27, 1968

<u>Title</u>	<u>page</u>	<u>issue No.</u>
The Labelling of Infusion Solutions	1	1
Dydrogesterone (Duphaston) for Dysmenorrhoea	2	1
The Versapen Story	4	1
Drugs for Pigmentary Disorders	5	2
Propranolol in Hyperthyroidism	7	2
Penicillin Allergy and Purified Penicillin (Purapen G)	9	3
Organisations that Help Patients and Their Families	11	3
Carbenoxolone for the Duodenum: Duogastrone Capsules	13	4
Softening Ear Wax: Some new preparations	15	4
Corticotrophin in Multiple Sclerosis and Retrobulbar Neuritis	17	5
Corticosteroid Eyedrops and Intra-ocular Pressure	18	5
Tetracyclines for Parenteral Administration	19	5
Pregnancy Tests	21	6
Treatment for Facial Palsy	25	7
Pentagastrin	26	7
Tolanase - a sulphonylurea antidiabetic agent	27	7
Alcoholism and its Treatment	29	8
Are Amphetamines any Use?	33	9
Tinaderm and Variotin - Two Topical Fungicides	35	9
Intal Compound for Asthma	37	10
Iprindole - A new Tricyclic Antidepressive	39	10
Treatment of Morning Sickness	41	11
Cloпамide (Brinaldix) - Another Oral Diuretic	43	11
Individual Psychotherapy	45	12
Potassium Para-aminobenzoate (Potaba) in Scleroderma	47	12
Ibufenac (Dytransin) Withdrawn	48	12
Interactions between Antimicrobial Drugs	49	13
The Various Liquid Preparations of Penicillin-V	51	13
The Choice of an Oestrogen	53	14
Topical Cytotoxic Drugs for Skin Cancer	55	14
Colostomy Belts	57	15
Haloperidol and Trifluoperidol in Psychiatry	58	15
Distigmine (Ubretid)	60	15
Bed Sores	61	16
Tests of Labstix - a multi-test strip for urine	63	16
Corticotrophin Preparations	65	17
Indications for Circumcision	67	17
A Fresh Look at Frusemide and Ethacrynic Acid	69	18
Drugs for Schistosomiasis	70	18
Ethambutol	73	19
Group Psychotherapy	74	19
Topical Application of Cytotoxic Drugs: clarification	76	19
Carbenicillin (Pyopen)	77	20
Still more Corticosteroid Preparations for the Skin		
Synalar Forte, Fluoderm, Ultralanum Cream	79	20

Back numbers at 2/- per issue and binders 21/- are available to subscribers on request.

INDEX - Entries in CAPITALS are the names of diseases or conditions. Names with a Capital initial letter are proprietary names. Names with a lower-case initial letter are approved or other non-proprietary names.

Page numbers under names of diseases or conditions refer, unless otherwise indicated, to chemotherapy. A page number marked with an asterisk* refers to a footnote.

- Abstem: in alcoholism 31
 acetohexamide: in diabetes 28
 acetylsalicylic acid: in rheumatoid arthritis: correction 12
 Achromycin, parenteral: indications 19 (correction 32)
 ACTH. See corticotrophin
 ACTH - CMC 65
 Acthar and Acthar Gel 65
 Adcortyl-A Ointment: in skin disorders 80
 addicts, drug: organisations that help 11
 adrenal function: test for 65
 AGITATION. See ANXIETY
 Albustix: cost 64
 alcohol solutions for intravenous infusion: labelling 1
 'Alcoholics Anonymous' 32, 74
 ALCOHOLISM 29
 psychotherapy 45
 ALLERGIC DISORDERS 37
 ocular: topical corticosteroids in: effect on intra-ocular pressure 18
 ALLERGY, penicillin 9
 almond oil: softening ear wax with 16
 ALOPECIA 6
 Alopecin: and alopecia and baldness 6
 Ambilhar: in schistosomiasis 71
 Amenorone Forte: in pregnancy testing 24
 AMENORRHOEA 54
 secondary: diagnosis 24
 ametasole: gastric acid secretory response to 26
 amino-acid solutions for intravenous infusion: labelling 1
 p-aminobenzoic acid, potassium salt: in scleroderma 47
 p-aminosalicylates: with other anti-tubercular drugs: in tuberculosis 73
 amitriptyline: in depressive states 39
 tablets: cost 40
 ammidia: combination with methoxsalen: in vitiligo 5
 ammidin. See methoxsalen
 amphetamine (see also dexamphetamine) indications 33
 amphetamines: indications 33
 amphetamine - barbiturate combinations: indications 34
 AMPHETAMINE DEPENDENCE: risks 33
 ampicillin: depot form of 4
 amylobarbitone: in alcoholism 31
 anaesthetics: interactions with propranolol 8
 analgesics
 ibufenac: discontinued 48
 analgesic - amphetamine combinations: in menstrual disorders: hazards 34
 Ancolan: in morning sickness 41
 Tablets: cost 42
 Ancoloxin: in morning sickness 41
 Tablets: cost 43
 androgen - oestrogen combinations: disadvantages 53
 anorectic drugs (see also amphetamines) diethylpropion: risk of dependence 12 in obesity 34
 Antabuse: in alcoholism 31
 antacids: in peptic ulcer 14
 Anthiomaline: in schistosomiasis 70
 antibacterial agents: interactions 49
 antibiotics
 carbenicillin 77
 hetacillin 4
 in facial palsy 25
 interactions 49
 phenoxymethylpenicillin: liquid oral preparations 51
 tetracyclines: indications for parenteral therapy 19
 anticholinesterases
 distigmine bromide 60
 antidepressives
 iprindole and imipramine 39
 antidiabetic drugs, oral
 tolazamide and other sulphonylureas 27
 antifibrotic agents
 potassium p-aminobenzoate: in scleroderma and related conditions 47
 antihistamines: in morning sickness 41
 anti-inflammatory agents (see also corticosteroids, topical)
 ibufenac: discontinued 48
 antimicrobial agents: interactions 49
 antimony compounds, organic: in schistosomiasis 70
 antimony dimercaptosuccinate. See stibocaptate
 antimony lithium thiomalate: in schistosomiasis 70
 antimony sodium tartrate: in schistosomiasis 70, 71
 antithyroid drugs: interactions with propranolol 8
 antitubercular drugs
 ethambutol 73
 ANXIETY 59
 psychotherapy 45
 Apolamine Tablets and Apolamine-Plus
 Tablets: cost 43
 appetite depressants. See anorectic drugs
 arachis oil: softening ear wax with 16
 ARRHYTHMIAS, cardiac 8
 ARTHRITIS, rheumatoid 66
 correction 12
 Artosin: in diabetes 28
 aspirin: in rheumatoid arthritis: correction 12
 AST. See antimony sodium tartrate
 ASTHMA 37
 contra-indicated therapy in 8
 bronchial 66
 Astiban. See stibocaptate
 ATHLETE'S FOOT 35
 Avomine: in morning sickness 41
 Tablets: cost 42
 BACTERIAL INFECTIONS 49
 bacteriostatics: antagonism of antibiotics by 49, 50
 BALDNESS 6
 barbiturates
 in alcoholism 31, 32
 combination with dexamphetamine, theophylline and other drugs: discontinued 12
 barbiturate - amphetamine combinations: indications 34
 beds, ripple and hovercraft 61
 BED SORES: prevention and treatment 61
 BELL'S PALSY 25
 Benadryl: in morning sickness 42
 Capsules: cost 42
 bendrofluazide: in oedema 44
 tablets: cost 44
 benzoic acid compound ointment: in fungal infections 35
 benzylpenicillin. See penicillin G
 Berkamine. See imipramine
 betamethasone: topical eye preparations: effect on intra-ocular pressure 18
 betamethasone valerate: topical preparations: in skin disorders 80
 cost 80
 beta-receptor blocking drugs
 propranolol: in hyperthyroidism 7
 Betnovate: Lotion: cost 80
 Ointment: in psoriasis and eczema 80
 cost 80
 birth control. See contraceptives
 blood in urine: multi-test strips for 63
 Brinaldix 43
 Tablets: cost 44
 Brinaldix K 44
 bronchodilators
 isoprenaline: combination with disodium cromoglycate: in asthma 37
 Butler's solution 2
 butyrophenones: in mental disorders 58
 calcium carbimide, citrated: in alcoholism 31
 CANCER (see also CARCINOMA)
 contra-indicated concurrent therapy in 55
 skin: topical therapy and other treatments 55
 CANDIDIASIS 35
 capreomycin: with ethambutol and isoniazid: in tuberculosis 73
 carbachol injection: cost 60
 carbenicillin 77
 carbenoxolone: in peptic ulcer 13
 carbohydrate solutions for intravenous infusion: labelling 1
 CARCINOMA (see also CANCER)
 prostatic 54
 CARDIOMYOPATHY, thyrotoxic: contra-indicated therapy in 8
 CARDIOVASCULAR DISEASE: contra-indicated concurrent therapy in 31
 cephalosporins: interactions with other antibiotics 49, 50
 cerumen: preparations for softening 15
 Cerumenex: softening ear wax with 15
 Cerumol: softening ear wax with 15
 charts for recording symptoms 3*
 chloramphenicol: interactions with other antibiotics 49, 50

- chlordiazepoxide: in alcoholism 31
 chlormethiazole: in alcoholism 31
 chlorothiazide: in oedema 44
 chlorotrianisene 53
 chlorphenesin: with clioquinol and fluometholone: topical preparation 79
 chlorpromazine: in alcoholism 31, 32
 interaction with methoxsalen 7
 chlorpropamide: in diabetes 28
 chlortetracycline: antagonism of benzylpenicillin by 50
 cholinomimetics: in urinary retention 60
CHORIOCARCINOMA: diagnosis 23
 chorionic gonadotrophin, human: in pregnancy testing 21
CIRCUMCISION: indications 67
 citrated calcium carbimide: in alcoholism 31
 climacteric. See menopause
 Clinistix: cost 64
 clioquinol: with chlorphenesin and fluometholone: topical preparation 79
 clopamide 43
 tablets: cost 44
 cocaine: limitation of prescribing 34
 cocaine substitutes 33
 colistin: in pseudomonas infections 78
 synergism with sulphonamides 49
 colistin sulphomethate: cost 78
 Colomycin: in pseudomonas infections 78
 colostomy belts 57
 Colostomy Welfare Group 58
 Compocillin VK 52
 Concordin. See protriptyline
 conjugated equine oestrogens: in menstrual irregularities 54
 contraceptives, oral: in pregnancy testing 24
 Cortico-Gel 65
 corticosteroids
 in facial palsy 25
 in multiple sclerosis and retrobulbar neuritis 17
 systemic and topical: effect on intra-ocular pressure 18
 topical 79
 cost 80
 corticotrophin: in facial palsy 25
 in multiple sclerosis and retrobulbar neuritis 17
 preparations: composition and use 65
 synthetic 66
 cortisone: in facial palsy 25
 topical eye preparations: effect on intra-ocular pressure 19
 Cortrophin and Cortrophin ZN 65
 Cortrosyn Depot 66
 cromoglycic acid, disodium salt: combination with isoprenaline: in asthma 37
 Crystapen V 52
 cyclizine: safety in early pregnancy 41
 cyclopenthiiazide tablets: cost 44
 cycloserine: antagonism by bacteriostatics 50
 with ethambutol and isoniazid: in tuberculosis 73
 cytotoxic drugs: in skin cancer 55
 (correction 76)
- Darrow's solution 2
 Debendox: in morning sickness 41
 Tablets: cost 43
 demecolcine: in skin cancer 55
 (correction 76)
DEMENTIA. See **MENTAL DISORDERS**
 demethylchlortetracycline: interaction with methoxsalen 7
 dependence, alcohol. See **ALCOHOLISM**
DEPRESSIVE STATES 39
 in geriatrics 34
 dexamethasone: topical eye preparations: effect on intra-ocular pressure 18
- dexamphetamine: indications 33
 combination with phenobarbitone, theophylline and other drugs: discontinued 12
DIABETES 27
 contra-indicated therapy in 18, 25
 Diabenes: in diabetes 28
 diathermy, short-wave: in facial palsy 25
 dicyclomine: combination with doxylamine and pyridoxine: in morning sickness 41
 tablets: cost 43
 dienoestrol cream: in senile vaginitis 54
 diethylpropion: risk of dependence 12
 digitalis: with propranolol: in atrial fibrillation 8
 diguanides, hypoglycaemic: with other hypoglycaemic drugs: in diabetes 28
 Dimelor: in diabetes 28
 dimenhydrinate: in morning sickness 42
 suppositories and tablets: cost 42
 dioctyl sodium sulphosuccinate: softening ear wax with 15
 Dioctyl-Medo: softening ear wax with 15
 diphenhydramine: in morning sickness 42
 capsules: cost 42
 diphenhydramine theoclate: in morning sickness 42
 suppositories and tablets: cost 42
 disodium cromoglycate: combination with isoprenaline: in asthma 37
 Distaquaine V-R 52
 distigmine bromide 60
 injection and tablets: cost 60
 disulfiram: in alcoholism 31
 diuretics, oral
 clopamide 43
 ethacrynic acid and frusemide 69
 in oedema 44
 thiazides: in hypertension and oedema 69
 in oedema 44
 doxylamine: combination with dicyclomine and pyridoxine: in morning sickness 41
 tablets: cost 43
 Dramamine: in morning sickness 42
 Tablets: cost 42
 dressings, non-adherent 62
 drug addicts: organisations that help 11
 drug interactions
 anaesthetics and antithyroid drugs with propranolol 8
 antimicrobial drugs 49
 carbenoxolone with spironolactone 13
 chlorpromazine and demethylchlortetracycline with methoxsalen 7
 drug resistance, bacterial: prevention 49, 50
 'Drug and Therapeutics Bulletin': microfilm editions 12
 Duogastrone Capsules: in peptic ulcer 13
 Duphaston: in dysmenorrhoea 2
 Tablets: cost 3
DUPUYTREN'S CONTRACTURE 47
 Duromine: in obesity 34
 dydrogesterone: in dysmenorrhoea 2
 tablets: cost 3
DYSMENORRHOEA
 contra-indicated therapy in 34
 congestive and spasmodic 2
 Dytransin: withdrawn 48
- ears; wax in: preparations for softening 15
 Econocil V-K 52
ECZEMA 80
 Edecrin. See ethacrynic acid
 electrolyte therapy: labelling solutions and solids for 1
 Enavid: in menstrual irregularities 54
ENDOCARDITIS, bacterial 49, 51
ENURESIS 34
- EPILEPSY**: contra-indicated concurrent therapy in 72
 Equadiol 53
 erythromycin: interactions with other antibiotics 49, 50
 ethacrynic acid 69
 in oedema 44
 ethambutol: in tuberculosis 73
 ether: interaction with propranolol
 ethinyloestradiol
 in prostatic carcinoma 54
 suppression of lactation with 54
 alone and with progestagens
 control of menopausal symptoms with 53, 54
 in menstrual irregularities 54
 tablets: cost 3
 ethionamide: with ethambutol and isoniazid: in tuberculosis 73
 ethyl alcohol. See alcohol
 ethynodiol diacetate: combination with oestrogen: in menstrual irregularities 54
 eusol: in bed sores 62
 eye: intra-ocular pressure in: effect of topical and systemic corticosteroids on 18
- fats (see also oils, vegetable)
 emulsions for intravenous feeding: labelling 1
 fenfluramine: in obesity 34
 Ferrograd Folic Tablets 12
 ferrous sulphate: combination with folic acid: prophylactic use in pregnancy 12
FIBRILLATION, atrial 8
 fluocinolone acetate cream: in skin disorders 79
 cost 80
 fluocortolone esters: topical preparations 80
 cost 80
 Fluoderm Cream and Ointment and Fluoderm Plain 79
 cost 80
 fluorometholone: alone and in combination with chlorphenesin and clioquinol: topical preparations 79
 cost 80
 5-fluorouracil: in skin cancer 55
 (correction 76)
 folic acid: combination with iron: prophylactic use in pregnancy 12
FOLIC ACID DEFICIENCY in pregnancy 12
FORESKIN, tight 67
 frusemide 69
 in oedema 44
FUNGAL INFECTIONS: of skin, hair and nails 35
 systemic 79
 fungicides, topical
 pecilocin and tolnaftate 35
 fusidic acid: interactions with other antibiotics 49, 50
- 'Gamblers Anonymous' 74
 gastric function tests 26
 gastric juice: collection technique 27
 gentamicin: with carbenicillin: in pseudomonas infections 78
 cost 78
GILLES DE LA TOURETTE'S SYNDROME 59
GLAUCOMA: concurrent corticosteroid therapy in 18
 glucose in urine: multi-test strips for 63
 glymidine: in diabetes 28
 gonadotrophin, chorionic, human: in pregnancy testing 21
 Gondafon: in diabetes 28
GRANULOMA ANNULARE 79
 Gravindex pregnancy test kit 22
 Gravalol: in morning sickness 42
 Suppositories and Tablets: cost 42
 griseofulvin: in fungal infections 35
 guanethidine: in hyperthyroidism 8

- haemagglutination tests for pregnancy 21
haematinics, oral
 iron and folic acid 12
haloperidol: in mental disorders 58
HEART DISEASE: concurrent corticotrophin therapy in 18
 contra-indicated concurrent therapy in 72
Hemacombistix: comparison with Labstix 63
 cost 64
Heminevrin: in alcoholism 31
hetacillin 4
Histalog: gastric acid secretory response to 26
histamine: gastric acid secretory response to 26
 in facial palsy 25
hormones. See oestrogens
HYDATIFORM MOLE: chorionic gonadotrophin excretion in 23
hydrochlorothiazide: in oedema 44
 tablets: cost 44
hydrocortisone: topical eye preparations:
 effect on intra-ocular pressure 19
hydrogen peroxide solution: in bed sores 62
 softening ear wax with 15
hydroquinone: monobenzyl and monomethyl
 ethers: in hyperpigmentation 7
Hyland HCG pregnancy test kit 22
HYPERKINESIS 34, 59
HYPERPIGMENTATION, cutaneous, localised 7
HYPERSENSITIVITY to penicillin 9
HYPERTENSION 44, 69
 contra-indicated therapy in 18, 25
HYPERTHYROIDISM: signs and symptoms:
 suppression 7
hypoglycaemic drugs. See Antidiabetic drugs
HYPOPIGMENTATION, cutaneous 5
HYSTERIA: psychotherapy 45
- ibufenac: discontinued 48
Icipen V 52
imipramine: in depressive states 39
 tablets: cost 40
immunological tests for pregnancy 21
imperatorin: combination with methoxsalen: in vitiligo 5
Inderal. See propranolol
INDIGESTION: concurrent corticotrophin therapy in 18
INFLAMMATION, ocular: topical corticosteroids in: effect on intra-ocular pressure 18
infusion solutions: labelling 1
Intal Compound: in asthma 37
intra-ocular pressure: effect of topical and systemic corticosteroids on 18
iprindole: in depressive states 39
 tablets: cost 40
iron salts: combinations with folic acid:
 prophylactic use in pregnancy 12
isoniazid: contra-indicated concurrent therapy with 72
 with other antitubercular drugs: in tuberculosis 73
isoprenaline: combination with disodium cromoglycate: in asthma 37
- kanamycin: synergism with penicillins and cephalosporins 49
ketones in urine: multi-test strips for 63
Ketostix: comparison with Labstix 64
 cost 64
Kopolon: in senile vaginitis 54
- labelling of infusion solutions 1
Labstix: cost 64
 evaluation 63
LACTATION: suppression 54
Largactil. See chlorpromazine
Lasix. See frusemide
Leucodinin: in hyperpigmentation 7
Librium: in alcoholism 31
- LICHEN PLANUS, hypertrophic 79
lincomycin: antagonism by erythromycin 50
LIVER DISEASE: contra-indicated concurrent therapy in 55
 lucanthone: in schistosomiasis 72
LUPUS ERYTHEMATOSUS, discoid, chronic 79
luteinising hormone: in pregnancy testing 21
lymecycline, parenteral: indications 19
LYMPHOCYTIC INFILTRATION, benign 79
lynoestrol: combination with oestrogen: in menstrual irregularities 54
lysine-methyltetracycline. See lymecycline
- magenta paint: in fungal infections 35
maize oil: softening ear wax with 15
MANIA. See MENTAL DISORDERS
MAO inhibitors: contra-indicated concurrent therapy with 40
meclozine: alone and with pyridoxine: in morning sickness 41
 tablets: cost 42
Meladinine: in vitiligo 5
Melolin X 62
MENINGITIS 77
 pneumococcal 50
menopause: control of symptoms 53
Menopax and Menopax Forte 53
MENORRHAGIA 54
Menstrogen: in pregnancy testing 24
MENTAL DISORDERS 33, 45, 58
 contra-indicated therapy in 18, 72
Mepilin 53
Mestranol: combination with progestagens:
 control of menopausal symptoms with 54
methallenoestril 53
Methedrine: indications 33
methotrexate: in skin cancer 55 (correction 76)
methoxsalen: with other drugs: in pigmentary skin disorders and baldness 5
4-methoxyphenol (methyl-4-hydroxyphenol)
 in hyperpigmentation 7
8-methoxypsoralen. See methoxsalen
methylamphetamine: indications 33
methylcellulose granules: in management of colostomy 57
methyl-4-hydroxyphenol. See 4-methylphenol
Microdon 62
microfilm editions of 'Drug and Therapeutics Bulletin' 12
Mixogen 53
monobenzene: in hyperpigmentation 7
MORNING SICKNESS 41
MORPHEA 47
Myambutol: in tuberculosis 73
MYASTHENIA GRAVIS 60
MYCOSIS FUNGOIDES 79
MYXOEDEMA, pretibial 79
- NA 62
nalidixic acid: antagonism by bacteriostatics 50
NARCOLEPSY 34
NECROSIS LIPOIDICA 79
neostigmine injection and tablets: cost 60
NEURITIS, retrobulbar: corticotrophin in 17
NEUROSES. See MENTAL DISORDERS
'Neurotics Nomine' 74
Nidoxital Tablets: cost 43
Nilodin: in schistosomiasis 72
niridazole: in schistosomiasis 71
nitrofurantoin: antagonism of nalidixic acid by 50
norethisterone: in dysmenorrhoea 3
 tablets: cost 3
 combination with oestrogen: in menstrual irregularities 54
norethisterone acetate: tablets: cost 3
 combination with oestrogen: in menstrual irregularities 54
norethynodrel: combination with oestrogen: in menstrual irregularities 54
- Norlutin-A. See norethisterone acetate
Norone: in pregnancy testing 24
nortestosterone derivatives - oestrogen combinations: in menstrual irregularities 54
- OBESITY 33
OEDEMA 43, 69
oestradiol: and its derivatives: indications and contra-indications 53
oestriol: in senile vaginitis 54
oestrogens: in dysmenorrhoea 2
 indications and contra-indications 53
oestrogen - androgen combinations:
 disadvantages 53
oestrogen - progestagen combinations:
 in dysmenorrhoea 2
 in menstrual irregularities 54
 in pregnancy testing 24
oestrogen - sedative combinations 53
oestrone suppositories: in senile vaginitis 54
oils
 mineral: softening ear wax with 15
 vegetable (see also fats): softening ear wax with 15, 16
olive oil: softening ear wax with 16
organisations that help patients and their families 11
osmolality of infusion solutions 1
OTITIS MEDIA 51
OVARIAN AGENESIS and DYSGENESIS 54
OVERWEIGHT 33
Ovestin: in senile vaginitis 54
oxytetracycline, parenteral: indications 19
 (correction 32)
- PABA: in scleroderma 47
PALSY, facial 25
pantothenate: combination with methoxsalen:
 and alopecia and baldness 6
para-aminobenzoic acid, potassium salt:
 in scleroderma 47
paraffin, liquid: softening ear wax with 15
paraldehyde: in epileptic fits of alcohol withdrawal 31
PARAPHIMOSIS 67
Parentovite: in alcoholism 31
PARKINSONISM, inertia of 34
PARONYCHIA, chronic 36
Patients Association: leaflet on welfare organisations 11
pecilocin: in fungal infections 36
PEMPHIGUS ERYTHEMATOSUS 79
Penicals 333 and Penicals Paediatric 52
penicillins
 allergic reactions to 9
 interactions with other antibiotics 49, 50
 phenoxymethylpenicillin: liquid oral preparations 51
 tablets: cost 52
 solutions: stability 11
 synthetic
 carbenicillin 77
 hetacillin 4
penicillin G
 interactions with other antibiotics 49, 50
 purified: injection 10
penicillin V: liquid oral preparations 51
 tablets: cost 52
pentagastrin 26
Pentovis: in senile vaginitis 54
Peptavlon 26
PEYRONIE'S DISEASE 47
pH of urine: multi-test strips for 63
Phenergan: in morning sickness 42
 Tablets: cost 42
phenobarbitone: in epileptic fits of alcohol withdrawal 31
phenothiazines: in morning sickness 41
phenoxymethylpenicillin. See penicillin V

- phentermine: in obesity 34
 PHIMOSIS 67
 PHOTSENSITISATION: induction by methoxsalen 6
 podophyllin: in skin cancer 55
 polymyxins: with carbenicillin: in pseudomonas infections 78
 polymyxin B: synergism with chloramphenicol 49
 Ponderax: in obesity 34
 PORTAL SYSTEM VASCULAR SHUNT: contra-indicated concurrent therapy in 72
 Potaba: in scleroderma 47
 potassium para-aminobenzoate: in scleroderma 47
 potassium supplements: in diuretic therapy 69
 prednisolone (or prednisone): in multiple sclerosis 17
 topical eye preparations: effect on intra-ocular pressure 19
 PREGNANCY
 contra-indicated therapy during 25, 40
 folic acid and iron deficiencies in 12
 morning sickness in 41
 ectopic: diagnosis 23
 pregnancy tests 21
 Pregnoticon and Pregnosticon Planotest pregnancy test kits 21, 22
 Pregalide pregnancy test kit 22
 Premarin: in menstrual irregularities 54
 PREMENSTRUAL SYNDROME 3
 contra-indicated therapy in 34
 Prepuerin pregnancy test kit 22
 Primodos: in pregnancy testing 24
 Primogyn Depot 53, 54
 in prostatic cancer 54
 Primolut N Tablets 3
 progestagens: in dysmenorrhoea 2
 with oestrogens: control of menopausal symptoms with 54
 progestagen - oestrogen combinations:
 in dysmenorrhoea 2
 in menstrual irregularities 54
 in pregnancy testing 24
 progesterone: in dysmenorrhoea 3
 promazine: in alcoholism 31
 promethazine: in morning sickness 42
 tablets: cost 42
 promethazine theoclate: in morning sickness 41
 tablets: cost 42
 Prondol: in depressive states 39
 Tablets: cost 40
 propantheline: in peptic ulcer 14
 propranolol: alone and with digitalis:
 in hyperthyroidism 7
 interactions with anaesthetics and antithyroid drugs 8
 protein in urine: multi-test strip for 63
 protriptyline: in depressive states 39
 tablets: cost 40
 PSEUDOMONAS INFECTIONS 77
 psoralens: in vitiligo 5
 PSORIASIS 80
 pustular 79
 PSYCHIATRIC STATES. See MENTAL DISORDERS
 PSYCHOTIC STATES. See MENTAL DISORDERS
 psychotherapeutic training facilities 47
 psychotherapy
 group 74
 individual 45
 PUBERTY, delayed 54
 Purapen G 10
 Pyopen 77
 pyrazinamide: with ethambutol and isoniazid:
 in tuberculosis 73
 pyridoxine: alone and with other drugs: in morning sickness 41
 tablets: cost 42, 43
 pyrrolidinomethyltetracycline, parenteral:
 indications 19
 quinestradol: in senile vaginitis 54
 Rastinon: in diabetes 28
 Reston 61
 RINGWORM 35
 rolitetracycline, parenteral: indications 19
 rubbing alcohol: and bed sores 61
 Rybrol: discontinued 12
 saline infusion: labelling 1
 salt solutions for intravenous infusion:
 labelling 1
 SCARLET FEVER 50
 SCHISTOSOMIASIS 70
 SCHIZOPHRENIA. See MENTAL DISORDERS
 SCLERODERMA 47
 SCLEROSIS, multiple 17
 systemic 47
 Secrolyl: in pregnancy testing 24
 sedatives (see also tranquillisers)
 in morning sickness 41
 sedative - oestrogen combinations 53
 SEPTICAEMIA 51
 Serenace: in mental disorders 58
 SKIN DISORDERS
 inflammatory 79
 pigmentary: symptomatic treatment 5
 scleroderma 47
 sodium antimonylgluconate: in schistosomiasis 70
 sodium chloride solutions for intravenous
 infusion: labelling 1
 sodium hypochlorite solution: in bed sores 62
 Sparine: in alcoholism 51
 Spincaps and Spinhalers 38
 spironolactone: antagonism of carbenoxolone by 13
 with frusemide or ethacrynic acid 70
 Stabillin V-K 52
 steroids, cortico-. See corticosteroids
 stibocaptate: in schistosomiasis 70
 stibophen: in schistosomiasis 70, 71
 stilboestrol: control of menopausal symptoms
 and suppression of lactation with 54
 in prostatic carcinoma 54
 streptomycin: synergism with benzyl-
 penicillin and tetracycline 49
 with other antitubercular drugs: in
 tuberculosis 73
 sulphonamides: synergism with colistin 49
 sulphonylureas, hypoglycaemic 27
 sympathomimetic amines
 isoprenaline: combination with disodium
 cromoglycate: in asthma 37
 symptom recording charts 3*
 Synacthen and Synacthen Depot 66
 Synalar Forte Cream: in skin disorders 79
 cost 80
 T.A.B. vaccine: in facial palsy 25
 TACE 53
 Tampovagan: in senile vaginitis 54
 Tenuate. See diethylpropion
 teratogenicity of drugs used during pregnancy 41
 Tetramycin, parenteral: indications 19
 (correction 32)
 tetracosactrin 66
 tetracycline
 interactions with other antibiotics 49, 50
 parenteral: indications 19 (correction 32)
 tetracyclines
 interactions with other antibiotics 49, 50
 parenteral: indications 19 (correction 32)
 Tetracycln, parenteral: indications 19
 (correction 32)
 Tetralysal, parenteral: indications 19
 Tetrex PMT Injection: indications 19
 theophylline: combination with phenobarbitone,
 dexamphetamine and other drugs:
 discontinued 12
 thiazides: in hypertension and oedema 69
 in oedema 44
 tablets: cost 44
 THROMBOEMBOLIC DISEASE: contra-indicated
 concurrent therapy in 54
 THYROTOXIC CRISIS 8
 TICS, compulsive 59
 Tinaderm: in fungal infections 35
 Cream and Powder: cost 36
 TINEA 35
 Tofranil. See imipramine
 Tolana 27
 tolazamide 27
 tolbutamide: in diabetes 28
 tolnaftate: in fungal infections 35
 tonics, amphetamine-containing: hazards 33
 TONSILLITIS, streptococcal 51
 tranquillisers (see also sedatives)
 in alcoholism 31, 32
 triamcinolone: topical eye preparations:
 effect on intra-ocular pressure 19
 with methoxsalen: in vitiligo 6
 triamcinolone acetate ointment: in skin
 disorders 80
 triamterene: with ethacrynic acid or
 frusemide 70
 TRICHOPHYTON INFECTIONS 35
 triethanolamine polypeptide oleate condensate:
 softening ear wax with 15
 trifluoperazine: safety in early pregnancy 41
 trifluoperidol: in mental disorders 58
 Triostam. See sodium antimonylgluconate
 Triperidol: in mental disorders 58
 TUBERCULOSIS 49, 50, 73
 concurrent corticotrophin therapy in 18
 turpentine oil: combination with p-dichloro-
 benzene and benzocaine: softening ear
 wax with 15
 Ubreid 60
 Injection and Tablets: cost 60
 UCG pregnancy test kit 22
 ULCERS, peptic 13
 rodent 55
 Ultralanum Cream and Lotion 80
 cost 80
 Ultralanum Plain: in psoriasis 80
 cost 80
 ultraviolet radiation: sources 6
 undecylenic compound ointment: in fungal
 infections 35
 URINARY RETENTION 60
 URINARY TRACT INFECTIONS 50
 urine multi-test strips: evaluation 63
 Uristix: cost 64
 V-CII-K 52
 VAGINITIS, senile 54
 Vagistril 53
 vancomycin: antagonism by bacteriostatics 50
 Variotin: in fungal infections 35
 Ointment: cost 36
 Versapen 4
 Vitamins B: in alcoholism 31
 VITILIGO: symptomatic treatment 5
 wax, ear: preparations for softening 15
 Waxsol: softening ear wax with 15
 weight control 33
 welfare organisations that help patients and
 their families 11
 Whitfield's ointment: in fungal infections 35
 Xerumenex: softening ear wax with 15
 yeast, dried: in alcoholism 31
 zinc and salicylic acid dusting-powder:
 in fungal infections 35
 zinc sulphate lotion: and bed sores 62
 zinc undecenoate dusting-powder: in fungal
 infections 35

Back numbers at 2/- per issue and binders 21/- are available to subscribers on request.

